



This document shows which approved cooktops, wall ovens and warming drawers can be safely installed together, either side by side, over the top or underneath each other. Models listed below are partial model numbers only. For the perfect match use the beginning sequence of your model number.

APPROVED COOKTOPS THAT CAN BE INSTALLED OVER APPROVED WALL OVENS. *		30" STEAM OVEN	30" SINGLE WALL OVENS			30" FRENCH- DOOR SINGLE WALL OVEN	
		ZMB9032	ZTSX1DP	ZTS90DP	ZTS90DS	ZTSX1FP	
COOKTOPS	30" ELECTRIC COOKTOP	ZEU30R	●	●	●	●	
	36" ELECTRIC COOKTOP	ZEU36R	●	●	●	●	
	30" GAS COOKTOP	ZGU30R	●	●	●	●	
	36" GAS COOKTOPS	ZGU36R	●	●	●	●	
		ZGU36E	●	●	●	●	
	30" INDUCTION COOKTOP	ZHU30R	●	●	●	●	
36" INDUCTION COOKTOP	ZHU36R	●	●	●	●		

*See each product's installation guide for all installation requirements.

**Indicates that the cooktop shown in the "cooktop over wall oven" chart can be installed centered over the wall oven.



This document shows which approved cooktops, wall ovens and warming drawers can be safely installed together, either side by side, over the top or underneath each other. Models listed below are partial model numbers only. For the perfect match use the beginning sequence of your model number.

APPROVED WALL OVENS THAT CAN BE INSTALLED SIDE-BY-SIDE. *		30" STEAM OVEN	30" SINGLE WALL OVENS				30" FRENCH-DOOR SINGLE WALL OVEN
		ZMB9032	ZTSX1DP*	ZTSX1DS*	ZTS90DS*	ZTS90DP*	ZTSX1FP
30" STEAM OVEN	ZMB9032	Δ	Δ	Δ	Δ	Δ	X
30" SINGLE WALL OVENS	ZTSX1DP**	Δ	Δ	Δ	Δ	Δ	X
	ZTSX1DS	Δ	Δ	Δ	Δ	Δ	X
30" FRENCH-DOOR SINGLE WALL OVEN	ZTSX1FP	X	X	X	X	X	†

*See each product's installation guide for all installation requirements.

**Indicates that the cooktop shown in the "cooktop over wall oven" chart can be installed centered over the wall oven.

Δ Minimum distance between horizontal centerlines is 30-1/2".

X Minimum distance between horizontal centerlines is 42-1/2".

O Minimum distance between horizontal centerlines is 29".

† Minimum distance between horizontal centerlines is 58-1/2".

≈ Minimum distance between horizontal centerlines is 27".



This document shows which approved cooktops, wall ovens and warming drawers can be safely installed together, either side by side, over the top or underneath each other. Models listed below are partial model numbers only. For the perfect match use the beginning sequence of your model number.

APPROVED WARMING DRAWERS THAT CAN BE INSTALLED UNDERNEATH APPROVED COOKTOPS OR WALL OVENS. *			30" WARMING DRAWER
			ZTW900
COOKTOPS	30" ELECTRIC COOKTOP	ZEU30R	●
	36" ELECTRIC COOKTOP	ZEU36R	●
	30" GAS COOKTOP	ZGU30R	●
		ZGU36R	●
	36" GAS COOKTOPS	ZGU36E	●
		30" INDUCTION COOKTOP	ZHU30R
	36" INDUCTION COOKTOP	ZHU36R	●
WALL OVENS	30" DOUBLE WALL OVENS	ZTDX1DP	●
		ZTDX1DS	●
		ZTD90DP	●
		ZTD90DS	●
		ZTDX1FP	●
	30" STEAM OVEN	ZMB9032	●
	30" SINGLE WALL OVENS	ZTSX1DP	●
		ZTSX1DS	●
		ZTS90DP	●
		ZTS90DS	●
HEARTH OVEN	30" SMART HEARTH OVEN	ZEP30	X

*See each product's installation guide for all installation requirements.

X Minimum distance between horizontal centerlines is 29 15/16".



This document shows which approved cooktops, wall ovens and warming drawers can be safely installed together, either side by side, over the top or underneath each other. Models listed below are partial model numbers only. For the perfect match use the beginning sequence of your model number.

APPROVED HEARTH OVEN THAT CAN BE INSTALLED ABOVE APPROVED WALL OVENS. *			WALL OVENS			
			30" SINGLE WALL OVENS			
			ZTSX1DP	ZTSX1DS	ZTS90DS	ZTS90DP
HEARTH OVEN	30" SMART HEARTH OVEN	ZEP30	X	X	X	X

*See each product's installation guide for all installation requirements.

X Minimum distance between horizontal centerlines is 29 15/16".